NANOPHOS S.A.	Revision nr. 3
	Dated 21/11/2017
DeSalin K	Printed on 21/11/2017
	Page n. 1/13

## Safety data sheet

## SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

Code: NanoPhos13Duplex

Product name. DeSalin K

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Intended use. Residue cleaner for resistant surfaces

1.3. Details of the supplier of the safety data sheet.

Name. NANOPHOS S.A.

Full address. Technological & Science Park

District and Country. 19 500 Lavrio (Greece)

Greece

Tel. +30 22920 69312 Fax. +30 22920 69303

e-mail address of the competent person.

responsible for the Safety Data Sheet. iarabatz@NanoPhos.com

Product distribution by: loannis Arabatzis

1.4. Emergency telephone number.

For urgent inquiries refer to. +30 22920 69312

#### **SECTION 2. Hazards identification.**

#### 2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1A H314 Causes severe skin burns and eye damage.

Serious eye damage, category 1 H318 Causes serious eye damage. Specific target organ toxicity - single exposure, category 3 H335 May cause respiratory irritation.

#### 2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

DeSalin K

Revision nr. 3 Dated 21/11/2017

Printed on 21/11/2017

Page n. 2/13







Signal words:

Danger

#### Hazard statements:

H370 Causes damage to organs. H302+H332 Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage. H314

H335 May cause respiratory irritation. **EUH071** Corrosive to the respiratory tract.

#### Precautionary statements:

P264 Wash with water thoroughly after handling.

P280 Wear protective gloves / clothing and eye / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Contains:** FORMIC ACID

HYDROCHLORIC ACID

2-butoxyethanol

#### 2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3. Composition/information on ingredients.**

### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification.

**FORMIC ACID** 

Classification 1272/2008 (CLP).

CAS. 64-18-6

15 x < 25

Flam. Liq. 3 H226, Acute Tox. 3 H331, STOT SE 1 H370, Acute Tox. 4 H302, Skin Corr. 1A H314, EUH071, Note B

EC. 200-579-1

INDEX. 607-001-00-0 HYDROCHLORIC ACID

CAS. 7647-01-0

10 x < 25 Met. Corr. 1 H290, Skin Corr. 1B H314, STOT SE 3 H335,

#### 

Note B

EC. 231-595-7

INDEX. 017-002-01-X **2-butoxyethanol** 

CAS. 111-76-2

5 x < 10 Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Eye Irrit. 2 H319, Skin

Irrit. 2 H315

EC. 203-905-0 INDEX. 603-014-00-0

## **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

#### SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

#### 5.2. Special hazards arising from the substance or mixture.

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

#### 5.3. Advice for firefighters.

NANOPHOS S.A.	Revision nr. 3  Dated 21/11/2017
DeSalin K	Printed on 21/11/2017 Page n. 4/13

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures.**

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available.

## NANOPHOS S.A. Revision nr. 3 Dated 21/11/2017 Printed on 21/11/2017

Page n. 5/13

## **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

Regulatory References:

FRA France JORF n°0109 du 10 mai 2012 page 8773 texte n° 102

GBR United Kingdom EH40/2005 Workplace exposure limits

GRC Ελλάδα ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9

Φεβρουαρίου 2012

EU OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC;

Directive 2000/39/EC.

TLV-ACGIH ACGIH 2016

FORMIC ACID					
Threshold Limit Value.	Country	TWA/8h		STEL/15min	
Туре	Country				
		mg/m3	ppm	mg/m3	ppm
VLEP	FRA	90	5		
WEL	GBR	9,6	5		
TLV	GRC	9	5		
OEL	EU	9	5		
TLV-ACGIH		9,4	5	18,8	10

HYDROCHLORIC ACI	D				
Threshold Limit Value		T) A / A / O I=		OTEL (4 Empire	
Туре	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
OEL	EU	8	5	15	10
TLV-ACGIH				2,9 (C)	2 (C)

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

NANOPHOS S.A.	Revision nr. 3 Dated 21/11/2017
DeSalin K	Printed on 21/11/2017 Page n. 6/13

#### EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9. Physical and chemical properties.**

#### 9.1. Information on basic physical and chemical properties.

Appearance liquid
Colour yellowish
Odour strong
Odour threshold. Not available.
pH. 0,15
Net available.

Melting point / freezing point.

Initial boiling point.

Boiling range.

Not available.

Not available.

Not available.

Flash point. 100

200 °C. Not available. Evaporation rate Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1.00±0.05 kg/L Solubility Not available. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Decomposition temperature. Not available.

2 mPa.s

Not available

Not available.

9.2. Other information.

Information not available.

Explosive properties

Oxidising properties

Viscosity

## **SECTION 10. Stability and reactivity.**

## NANOPHOS S.A. Revision nr. 3 Dated 21/11/2017 Printed on 21/11/2017 Page n. 7/13

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### FORMIC ACID

Decomposes under the effect of heat. Attacks various types of plastic materials.

At room temperature it can release carbon monoxide.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

#### FORMIC ACID

Risk of explosion on contact with: sodium hypochlorite,nitromethane,hydrogen peroxide,furfuryl alcohol.May react dangerously with: alkaline hydroxides,alkaline earth hydroxides,aluminium,palladium-carbon,oxidising agents,phosphorus pentoxide,nitric acid,concentrated sulphuric acid,trihydrate thallium trinitrate.May react dangerously if exposed to: heat.Forms explosive mixtures with: air.

#### HYDROCHLORIC ACID

Risk of explosion on contact with: alkaline metals, aluminium powder, hydrogen cyanide, alcohol.

#### 10.4. Conditions to avoid.

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

#### FORMIC ACID

Avoid exposure to: light, sources of heat, naked flames.

#### 10.5. Incompatible materials.

#### FORMIC ACID

Incompatible with: strong oxidants, strong bases, sulphuric acid, furfurylic acid.

#### HYDROCHLORIC ACID

Incompatible with: alkalis,organic substances,strong oxidants,metals.

#### 10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## NANOPHOS S.A. Revision nr. 3 Dated 21/11/2017 Printed on 21/11/2017 Page n. 8/13

FORMIC ACID

May develop: carbon monoxide, hydrogen.

HYDROCHLORIC ACID

In decomposition develops: copper alloys.

## **SECTION 11. Toxicological information.**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects.

#### ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture:10,82 mg/l

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture:1429 mg/kg

LD50 (Dermal) of the mixture:>2000 mg/kg

#### SKIN CORROSION / IRRITATION.

Corrosive for the skin.

SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye damage.

RESPIRATORY ÓR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

Causes damage to organs.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

## **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity.

Information not available.

#### 12.2. Persistence and degradability.

HYDROCHLORIC ACID

Solubility in water. > 10000 mg/l

Biodegradability: Information not available.

DeSalin K

Revision nr. 3

Dated 21/11/2017

Printed on 21/11/2017

Page n. 9/13

FORMIC ACID

Solubility in water. 1000 - 10000 mg/l

Rapidly biodegradable.

#### 12.3. Bioaccumulative potential.

FORMIC ACID

Partition coefficient: n- -2,1

octanol/water.

12.4. Mobility in soil.

FORMIC ACID

Partition coefficient: < 1,25

soil/water.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

## **SECTION 13. Disposal considerations.**

### 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information.**

### 14.1. UN number.

ADR / RID, IMDG, 1760

IATA:

#### 14.2. UN proper shipping name.

ADR / RID: CORROSIVE

LIQUID, N.O.S.

IMDG: CORROSIVE

Revision nr. 3 Dated 21/11/2017

Printed on 21/11/2017

Page n. 10/13

DeSalin K

IATA:

LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S.

#### 14.3. Transport hazard class(es).

ADR / RID:

Class: 8

Label: 8

IMDG:

Class: 8

Label: 8

IATA:

Class: 8

Label: 8



#### 14.4. Packing group.

ADR / RID, IMDG,

Ш

#### 14.5. Environmental hazards.

ADR / RID:

IATA:

NO

IMDG: IATA:

NO NO

### 14.6. Special precautions for user.

ADR / RID:

HIN - Kemler: 80

Limited Quantities: 5

Tunnel restriction code: (E)

IMDG:

Special Provision: -EMS: F-A, S-B

Pass.:

Limited Quantities: 5

IATA: Cargo: Maximum

quantity: 60 L

instructions: 856

852

Packaging

Maximum quantity: 5 L

instructions:

Packaging

Special Instructions: A3, A803

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

## **SECTION 15. Regulatory information.**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC: H3

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

# NANOPHOS S.A. Revision nr. 3 Dated 21/11/2017 Printed on 21/11/2017 Page n. 11/13

Product.

Point.

Substances in Candidate List (Art. 59 REACH).

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

3

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

### **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 3 Acute toxicity, category 3

STOT SE 1 Specific target organ toxicity - single exposure, category 1

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1A Skin corrosion, category 1A

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H226 Flammable liquid and vapour.H290 May be corrosive to metals.

H331 Toxic if inhaled.

DeSalin K

## Revision nr. 3

Dated 21/11/2017

Printed on 21/11/2017

Page n. 12/13

H370 Causes damage to organs.

H302+H332 Harmful if swallowed or if inhaled.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation. **EUH071** Corrosive to the respiratory tract.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- Regulation (EU) 1907/2006 (REACH) of the European Parliament
   Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

NANOPHOS S.A.	Revision nr. 3  Dated 21/11/2017
DeSalin K	Printed on 21/11/2017 Page n. 13/13

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

The following sections were modified: